

DLC

The PYPHS* development team¹

¹Project-team S3[†], STMS, IRCAM-CNRS-UPMC (UMR 9912), 1 Place
Igor-Stravinsky, 75004 Paris, France

March 21, 2017

1 System netlist

line	label	dictionary.component	nodes	parameters
ℓ_1	in	electronics.source	('#', 'n1')	{ type voltage
				v0 ('v0', 0.026)
ℓ_2	D	electronics.diode	('n1', 'n2')	{ mu ('mu', 1.7)
				Is ('Is', 2e-09)
				R ('Rd', 0.5)
ℓ_3	L	electronics.inductor	('n2', 'n3')	{ L ('L', 0.05)
ℓ_4	C	electronics.capacitor	('n3', '#')	{ C ('C', 2e-06)

2 System dimensions

$$\dim(\mathbf{x}) = n_{\mathbf{x}} = 2;$$

$$\dim(\mathbf{w}) = n_{\mathbf{w}} = 3;$$

$$\dim(\mathbf{y}) = n_{\mathbf{y}} = 1;$$

$$\dim(\mathbf{p}) = n_{\mathbf{p}} = 0;$$

*<https://github.com/afalaize/pyphs>

[†]<http://s3.ircam.fr>

3 System variables

State variable $\mathbf{x} = \begin{pmatrix} x_L \\ x_C \end{pmatrix};$

Dissipation variable $\mathbf{w} = \begin{pmatrix} w_D \\ w_{D_R} \\ w_{Dg\min} \end{pmatrix};$

Input $\mathbf{u} = (u_{in});$

Output $\mathbf{y} = (y_{in});$

4 Constitutive relations

Hamiltonian $H(\mathbf{x}) = \frac{0.5}{L} \cdot x_L^2 + \frac{0.5}{C} \cdot x_C^2;$

Hamiltonian gradient $\nabla H(\mathbf{x}) = \begin{pmatrix} \frac{1.0}{L} \cdot x_L \\ \frac{1.0}{C} \cdot x_C \end{pmatrix};$

Dissipation function $\mathbf{z}(\mathbf{w}) = \begin{pmatrix} \mu \cdot v_0 \cdot \log \left(\frac{1}{I_s} \cdot (I_s + w_D) \right) \\ Rd \cdot w_{D_R} \\ \frac{w_{Dg\min}}{g\min} \end{pmatrix};$

Jacobian of dissipation function $\mathcal{J}_{\mathbf{z}}(\mathbf{w}) = \begin{pmatrix} \frac{\mu \cdot v_0}{I_s + w_D} & 0 & 0 \\ 0 & Rd & 0 \\ 0 & 0 & \frac{1}{g\min} \end{pmatrix};$

5 System parameters

5.1 Constant

parameter	value (SI)
C :	2e-06
v0 :	0.026
L :	0.05
mu :	1.7
gmin :	1e-12
Is :	2e-09
Rd :	0.5

6 System structure

$$\mathbf{M} = \begin{pmatrix} 0 & -1.0 & 0 & -1.0 & -1.0 & -1.0 \\ 1.0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1.0 & 0 \\ 1.0 & 0 & 0 & 0 & 0 & 0 \\ 1.0 & 0 & -1.0 & 0 & 0 & 0 \\ 1.0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{xx}} = \begin{pmatrix} 0 & -1.0 \\ 1.0 & 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{xw}} = \begin{pmatrix} 0 & -1.0 & -1.0 \\ 0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{xy}} = \begin{pmatrix} -1.0 \\ 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{wx}} = \begin{pmatrix} 0 & 0 \\ 1.0 & 0 \\ 1.0 & 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{ww}} = \begin{pmatrix} 0 & 0 & 1.0 \\ 0 & 0 & 0 \\ -1.0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{wy}} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{yx}} = \begin{pmatrix} 1.0 & 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{yw}} = \begin{pmatrix} 0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{M}_{\mathbf{yy}} = \begin{pmatrix} 0 \end{pmatrix};$$

$$\mathbf{J} = \begin{pmatrix} 0 & -1.0 & 0 & -1.0 & -1.0 & -1.0 \\ 1.0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1.0 & 0 \\ 1.0 & 0 & 0 & 0 & 0 & 0 \\ 1.0 & 0 & -1.0 & 0 & 0 & 0 \\ 1.0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{J}_{\mathbf{xx}} = \begin{pmatrix} 0 & -1.0 \\ 1.0 & 0 \end{pmatrix};$$

$$\mathbf{J}_{\mathbf{xw}} = \begin{pmatrix} 0 & -1.0 & -1.0 \\ 0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{J}_{\mathbf{xy}} = \begin{pmatrix} -1.0 \\ 0 \end{pmatrix};$$

$$\mathbf{J}_{\mathbf{ww}} = \begin{pmatrix} 0 & 0 & 1.0 \\ 0 & 0 & 0 \\ -1.0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{J}_{\mathbf{wy}} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix};$$

$$\mathbf{J}_{\mathbf{yy}} = (0);$$

$$\mathbf{R} = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{R}_{\mathbf{xx}} = \begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix};$$

$$\mathbf{R}_{\mathbf{xw}} = \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{R}_{\mathbf{xy}} = \begin{pmatrix} 0 \\ 0 \end{pmatrix};$$

$$\mathbf{R}_{\mathbf{ww}} = \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix};$$

$$\mathbf{R}_{\mathbf{wy}} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix};$$

$$\mathbf{R}_{\mathbf{yy}} = (0);$$